




RESOURCES

Home
Resources
Resource Center

Saleable Returns: VRS Capabilities and Decision Criteria for Manufacturers



When the DSCSA Saleable Returns Verification requirement goes into effect in November 2019, the volume of verification requests to manufacturers is expected to skyrocket—and will only get bigger as non-serialized product is eliminated from the supply chain over the next several years. To ensure that wholesalers *and* manufacturers are able to meet the requirement, the industry has aligned around

two complementary solutions: Verification Router Services (VRS) and self-verification using the manufacturer's product data. Since then, the Big 3 wholesalers have established both methods as basic requirements for their suppliers.

For manufacturers, the right VRS can enhance overall customer satisfaction; reduce chargebacks; and minimize administrative overhead. This white paper provides criteria for choosing a VRS as the foundation of a comprehensive saleable returns solution, including network integrity and governance, performance and scalability, and interoperability with other VRS and business systems.

[Download PDF](#)

eBook DSCSA for Manufacturers Regulatory/Compliance United States

Contact Us

Learn more about TraceLink's solutions for DSCSA compliance.

CONTACT US

Contact Us

Learn more about TraceLink's solutions for DSCSA compliance.

Related Content



DSCSA Verification: VRS Essentials for Manufacturers and Wholesalers

Before selecting a Verification Router Service to meet 2019 DSCSA requirements, see what wholesalers and manufacturers need to ask.

[View More](#)



160+ TraceLink VRS Customers Ahead of Pace for Saleable Returns Deadline

Learn why TraceLink continues to set the pace in VRS readiness, live customers, and industry-wide interoperability.

[View More](#)



Saleable Returns: A Roadmap to Your VRS Solution

View this on-demand webinar to see why your VRS solution capabilities should include performance, security, and interoperability.

[View More](#)