



TRACELINK UNIVERSITY

Home Resources TraceLink University

Define and Design View/Edit Pages

Overview, Layout, and Configuration Guide



Overview

Users view existing instances of object instances using a View/Edit page in view mode. To edit data in the object instance, the user switches to edit mode. The page contains the following elements in both view and edit modes:

- 1. Page title
- 2. Assistive text
- 3. Object operations toolbar
- 4. Collection operations toolbar
- 5. Workflow progress indicator bar
- 6. One or more form sections which contain either:
 - Simple fields and groups
 - A collections table
- 7. Push panel for collection operations New and Edit

Layout



Sample View Screen (User)

Default View

×

With View Collection Row Push Panel

×

Sample Edit Screen (User)

Default View

×

With New Collection Row Push Panel

×

With Edit Collection Row Push Panel

×

Sample View/Edit Screen (Solution Designer)

×

Configuration

Page Title

The page title shows the page's title. The convention is that the value is the object type followed by the word "Details" (e.g. Purchase Order Details).

Contents

Data Type	Value	Example	
Static Text	[Object Type] Details	Purchase Order Details	

Information for Solution Designers



The page title is a required element that cannot be removed from the page.

Design Conventions

Page title is "[Object Type] Details" (e.g. "Purchase Order Details").

Configuration Options

Not applicable. The page title element's design cannot be modified.

Assistive Text

The assistive text is instructional content for the end user. The assistive text is set by the Solution Designer.

Contents

Data Type	Value	Example
IISTATIC LAYE	Designer	The purchase order's information is displayed below. To update any of the purchase order's data, select the Edit button.

Information for Solution Designers

Assistive text should always be displayed on Search pages.

Design Conventions

Property Convention		
Text length	No more than 100 characters.	
Writing style	Adheres to the Opus Writing Guidelines	

Property	Parameter	Option	Description
Hidden	den On/Off	III) TT (MATALIIT)	The page instructions are visible (i.e. not hidden).
		On	The page instructions are hidden.



Object Operations Toolbar

The buttons in the object operations toolbar apply to the page or main object, as opposed to the buttons on the collections toolbar, which apply to collections inside the page. The toolbar buttons described below are available on View/Edit pages. As noted, some buttons are only available in View mode and some are only available in Edit mode.

Contents

Element	Туре	Page Mode(s)	Description
Edit	Toolbar Button	View	Selecting this button transitions the page from view mode to edit mode.
New	Toolbar Button	View and Edit	Selecting this button navigates to the New page for the object type. If the user was in edit mode, any unsaved changes will be lost.
View	Toolbar Button		Selecting this button transitions the page from edit mode back to view mode. Any unsaved changes will be lost.



Element	Туре	Page Mode(s)	Description
	7.		Selecting this
			button does
			the following:
			 Validates
			the user's
			entries (i.e.
			ensures that
			all required
			fields have
			values).
			• If validation
			does not
	Toolbar		pass, the user
Save	Button		sees a
			corresponding
			error snackbar.
			• If validation
			succeeds, the
			new object
			instance is
			created and
			the user is
			navigated
			back to the
			object Search
			page.

Information for Solution Designers

Design Conventions

Not applicable. The object operations toolbar design cannot be modified.

Applies To	Property	Parameter	Values	Description
Toolbar	Hidden	Off/On	III III III III III III III III III II	The toolbar is visible (i.e. not hidden).
			On	The toolbar is hidden.
Toolbar Button Hidden	Off/On	III ITT I MATAI IIIT I	The button is visible (i.e. not hidden).	
			On	The button is hidden.



Collection Operations Toolbar

The collection operations toolbar contains actions that apply to collections within the object instance. Collections are a type of data element that can have multiple values within a particular object instance. For example, a collection of transaction IDs contains all transaction IDs that apply to a single Purchase Order. The collection operations toolbar appears at the top of View/Edit pages and above each collection table.

Contents

Element	Туре	Description		
View	Toolbar Button	Selecting this button opens the View Details collection row push panel with data from the selected row in the active collection table. This button is only enabled if a row is selected.		
New	Toolbar Button	Selecting this button opens the New collection row push panel		
Edit	Toolbar Button	Selecting this button opens the Edit collection row push panel with data from the selected row in the active collection table. This button is only enabled if a row is selected.		
Remove	Toolbar Button	Selecting this button removes the selected row from the active collection table. This button is only enabled if a row is selected.		

Information for Solution Designers

Design Conventions

Not applicable. The collection operations toolbar design cannot be modified.

Applies To	Property	Parameter	Values	Description
Toolbar	Hidden Off/On		Off (default)	The toolbar is visible (i.e. not hidden)
			On	The toolbar is hidden.
Toolbar Button Hidden Off/On	Off (default)	The button is visible (i.e. not hidden).		
			On	The button is hidden.



Progress Indicator

The progress indicator is an optional component that illustrates the state of the object instance. This is particularly useful for objects that go through a workflow. For example, a Purchase Order object may go from "To Do" (i.e. not started) to "In Progress" to "Done."

Contents

Element	Sub Element	Туре	Description
Active State	State Name	Text	The name of the state (e.g. "To Do," "In Progress"). Configurable by the Solution Designer.
	State Icon	Icon	Indicates the state is active.
Non-active State	State Name	Text	The name of the state (e.g. "To Do," "In Progress"). Configurable by the Solution Designer.
	State Icon	Icon	Indicates the state is not active.

Information for Solution Designers

Design Conventions

Property	Convention
· · · · · · · · · · · · · · · · · ·	Use "To Do"
Last state name (i.e. the state of the object when the workflow is completed)	Use "Done"

Applies To	Property	Values	Description
Progress Indicator	Hidden	π ισαταιμεί	The indicator is visible (i.e. not hidden)
		On	The indicator is hidden.
Progress Indicator	Number of states	Number	The number of states in the workflow.



Applies To	Property	Values	Description
State	State Name	I I EXT	The name of the workflow state to display.

Form Section

A form section contains a form header and either:

- A combination of simple fields (e.g. Name, ID) and groups (a predefined set of logically connected fields)
- A collections table (described in the Collections Table section)

Contents

Element	Туре	Description
Section Name	Text	The name of the section.
Section Inputs	or	A section can contain a combination of simple fields and groups or a single collections table. A collections table cannot be mixed with other inputs.

Information for Solution Designers

Design Conventions

Property	Conventions
Section Layout Columns	Fields inside TraceLink form groups can either appear in a one-column layout (with long fields) or a two-column layout (with shorter fields).
Section Name	Use descriptive nouns for group names (e.g. "Shipping Address"). Do not include verbs in the section name. If the page has only one section, hide the section name because it will be redundant with the page title.
Section Fields and Groups	Each section should contain logically connected fields and groups. The best practice is to have between 3 and 8 fields per section. • If a section has fewer than 3 fields, consider merging it into another section, if they can be logically combined. • If a section has more than 8 fields, consider splitting it into separate sections, if they can be logically separated.



Configuration Options

Applies To	Property	Parameter	Values	Description
Section Header	Hidden	Off/On	Off (default)	The header is visible (i.e. not hidden).
			On	The header is hidden.
Section Header	Callanca	Off/On	On (default)	The section can be collapsed and expanded. The corresponding icons are present.
	Collapse	OlifOli	The se	The section cannot be collapsed and expanded. The corresponding icons are not present.

Collection Table

A collection is a particular data element that can have multiple values within a particular object instance. For example, a Purchase Order object instance might have multiple transaction IDs, thus transaction IDs are a collection inside the Purchase Order object. Each collection inside an object is displayed in its own collections table.

Contents

Element	Туре	Description
Table Fields	Field List	The ordered set of fields contained in the table.
Table Field		An individual field for entering data to an item in the collection.

Information for Solution Designers

Design Conventions

Property	Convention
Field Order	Key fields that help identify a particular row (e.g. Name, ID) should appear first (leftmost). Fields that are less likely to be used to identify a row (e.g. Date, Description) should appear after the key fields.



Configuration Options

Not applicable. The collection table design cannot be modified.

View Collection Row Push Panel

The View Collection Row Details push panel (accessed by selecting the View Details icon on the Collection Toolbar when a row in an active collections table is selected) provides a means for users to view all the data in a particular collection row. This component is only accessible when the screen is in View mode.

Contents

Area	Element	Description
Header	Push Panel Title	"View Details" static text.
	Previous Button	Shows the details for the previous collection row in the table.
	Next Button	Shows the details for the next collection in the table.
Close Button	Selecting this button closes the push panel.	
Push Panel Content	Field List	All fields that are displayed in the push panel. The fields that appear here can be set in the Opus Solution Environment (OSE).
	Field (inside Field List)	The label and corresponding data entry field.

Information for Solution Designers

Design Conventions

Property	Convention		
HEIDIN LICI	The push panel should contain the same fields that are in the collection table.		
	The order of the fields in the push panel should match the order of the fields in the corresponding collection table.		



The user sets the push panel field contents per the above conventions.

New Collection Row Push Panel

The New Collection Row push panel (accessed by selecting the New icon on the Collection Toolbar when a collections table is active) provides a means for users to add a new data row to a collection.

Contents

Area	Element	Description
	Push Panel Title	"New" static text.
Header	Apply Button	Validates the user's entries (e.g. ensures values supplied for all required fields) and then: • If validation fails, TraceLink shows the corresponding error message. • If validation passes, TraceLink adds the row to the collection table.
	Close Button	Selecting this button closes the push panel.
Push Panel Content	Field List	All fields that are displayed in the push panel. The fields that appear here can be set in the Opus Solution Environment (OSE).
	Field (inside Field List)	The label and corresponding data entry field.

Information for Solution Designers

Design Conventions

Property	Convention	
HEIDIN LICE	The push panel should contain the same fields that are in the collection table.	
	The order of the fields in the push panel should match the order of the fields in the corresponding collection table.	

Configuration Options

The user sets the push panel field contents per the above conventions.



Edit Collection Row Push Panel

The Edit Collection Row Details push panel (accessed by selecting the Edit icon on the Collection Toolbar when a row in an active collections table is selected) provides a means for users to edit a row in a collection.

Contents

Area	Element	Description
	Push Panel Title	"Edit" static text.
Header	Apply Button	Validates the user's entries (e.g. ensures values supplied for all required fields) and then: • If validation fails, TraceLink shows the corresponding error message. • If validation passes, TraceLink updates the row in the collections table with the values that were entered in the push panel.
	Close Button	Selecting this button closes the push panel.
Push Panel Content	Field List	All fields that are displayed in the push panel. The fields that appear here can be set in the Opus Solution Environment (OSE).
	Field (inside Field List)	The label and corresponding data entry field.

Information for Solution Designers

Design Conventions

Property	Convention	
HEIDIN LICT	The push panel should contain the same fields that are in the collection table.	
	The order of the fields in the push panel should match the order of the fields in the corresponding collection table.	


Configuration Options

The user sets the push panel field contents per the above conventions.



TraceLink University	
API Reference	
Courses	
ĬŶ.	
Design Guides	
FAQ	
FAQs	
Fundamentals	
How-tos	
Troubleshooting	
Use Cases	
Related Content	





Understanding Page Types within the Opus Solution Environment (OSE)

Page types enable Solution Designers to efficiently create user-friendly pages using a dragand-drop interface, allowing them to organize information for optimal usability.






Define and Design Search Pages

Search pages enable users to view, search for, and create new object instances, typically serving as the landing page when navigating to a solution, except when only one instance exists (like the Profile page in Settings), in which case the user is directed to the View/Edit page.






Define and Design New Pages

The New page allows users to create new instances of application objects and includes various essential elements for the process.





Define and Design Workflows

This guidance outlines essential practices for designing effective workflows that enhance efficiency and flexibility in business processes, focusing on primary objects to help Opus Solution Designers create impactful solutions.






Design Considerations With Roles and Policies

User access in a solution is managed through permissions, roles, and policies: permissions define specific actions, roles group these permissions for streamlined access, and policies enforce the logic that determines what users can do, ensuring data protection and security compliance.





Get Started Designing on the Opus Platform With Opus Anthem

Anthem is TraceLink's Design System that establishes consistent design conventions across the Opus Platform, allowing designers to quickly create solutions that meet various business and user needs.